

X-CON BRAND

CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

PRODUCT SPECIFICATION 規格書

CUSTOMER :		DATE :
(客戶):	志盛翔	日期:2020-04-29

CATEGORY (品名)	ONDUCTIVE POLYM OLID CAPACITORS	ER ALUMINUM
DESCRIPTION (型号)		2.5)
VERSION (版本)	l	
Customer P/N		
SUPPLIER		

SUPPI	SUPPLIER		FOMER
PREPARED (拟定)	CHECKED (审核)	APPROVAL (批准)	SIGNATURE (签名)
李婷	刘渭清		



	SPECIFICATION ULG SERIES				ALTERN	ATION HIS	TORY
						ECORDS	
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver


Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	1
	STA	ANDARD MANUAL	·	



C O N T E N T S	Sheet
. Application	3
. Part Number System	3
. Construction	4
Characteristics	5~11
4.1 Rated voltage & Surge voltage	
4.2 Capacitance (Tolerance)	
1.3 Leakage current	
4.4 Tangent of loss angle	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test4.8 Surge test	
4.8 Surge test4.9 Damp heat test	
4.10 Maximum permissible ripple current	
.11 Rapid change of temperature	
.12 Lead strength	
.13 Resistance to vibration	
.14 Solderability	
.15 Resistance to soldering heat	
. Product Marking	12
. Product Dimensions, Impedance & Maximum Permissible Ripple	Current 13
. Application Guideline	14~15
-1 Circuit design	
-2 Voltage	
-3 Sudden charge and discharge restricted	
-4 Ripple current	
-5 Leakage current	
-6 Failure rate -7 Capacitor insulation	
-8 Precautions for using capacitors	
Long Term Storage	15
0. Mounting Precautions	15
1. List of "Environment-related Substances to be Controlled ('Controlled Substances	
1. LISE OF ENVIRONMENT-TETATED SUBSTANCES to be Controlled (Controlled Substa	inces j 10

Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	2
STANDARD MANUAL				






Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	3
	STA	ANDARD MANUAL		



3.Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
		Tinned Copper Line
1	Lead Line	or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	4
	STA	ANDARD MANUAL		



4. Characteristics

Standard atmospheric conditions Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows: Ambient temperature: 15°C to 35°C Relative humidity : 45% to75% Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions: Ambient temperature: $20^{\circ}C \pm 2^{\circ}C$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55°C to 105°C.

Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	5
	STA	ANDARD MANUAL		



ITEM		PERFORMANCE
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC) 25 SV (V.DC) 28.7
4.2	Nominal capacitance (Tolerance)	<condition>Measuring Frequency: 120Hz\pm12HzMeasuring Voltage: Not more than 0.5VrmsMeasuring Temperature: $20\pm 2^{\circ}C$<criteria>Shall be within the specified capacitance tolerance.</criteria></condition>
4.3	Leakage current	<condition></condition> After DC Voltage is applied to capacitors through the series protective resistor (1k $\Omega \pm 10 \Omega$) so that terminal voltage may reach the rated voltage .The leakage current when measured after 2 minutes shall not exceed the values of the following equation. In case leakage current value exceed the value shown in Table 3, remeasure after voltage treatment that applies the rated voltage shown in 4.1 for 120minutes at 105 °C <criteria></criteria> See Table 3
4.4	tan δ	<condition> See 4.2, for measuring frequency, voltage and temperature.<criteria>Working voltage (v)25 $\tan \delta (max.)$0.12</criteria></condition>
4.5	ESR	Condition> Measuring frequency : 100kHz to 300kHz; Measuring temperature:20±2°C Measuring point : 1mm max from the surface of a sealing resin on the lead wire. Criteria> (20°C)Less than the initial limit(See Table 3).

Issue Date : 2017-05-26	Name	Specification Sheet – ULG				
Version	01		Page	6		
STANDARD MANUAL						



		STEP	Temperature(°C)	Item	Characteristics			
		1	20±2	Measure: Capacitance tanδ Impedance				
		2	-55+3	Z-55℃ / 20℃	≤1.25			
	Temperature	3	Keep at 15 to 35°C for 15 minutes or more					
4.6	characteristic	4	105 ± 2	Z105°C / 20°C	≤1.25			
				Δ C/C 20°C	Within \pm 5% of step1			
		5	20±2	tanδ	Less than or equal to the value of item 4.4			
		The C voltag	dition> apacitor is stored at a ter e for 2000 +48/0 hours.					
		<crit< td=""><td></td><td colspan="4">Performance</td></crit<>		Performance				
		tan δ	Les	Within $\pm 20\%$ of initial capacitance Less than or equal to 1.5 times of the value of item 4.4				
	Load	ESR		Less than or equal to 1.5 times of the value of item 4.5				
.7	life	Leak	age current Les	s than or equal to the v	value of item 4.3			
	test	App	earance Not	able changes shall not	be found.			

Issue Date : 2017-05-26	Name	Specification Sheet – ULG				
Version	01		Page	7		
	STANDARD MANUAL					



		11 0 0	l be 15~35℃.
	Surge	Item	Performance
4.8	test	Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tan δ	Less than or equal to 1.5 times of the value of item 4.4
		ESR	Less than or equal to 1.5 times of the value of item 4.5
		Leakage current	Less than or equal to the value of item 4.3
		Attention: This test sir hypothesizing that over v	nulates over voltage at abnormal situation, and not be oltage is always applied.
		-	xposed for 1000±48 hours in an atmosphere of 90~95%RH at istic change shall meet the following requirement.
		Capacitance Change	Within $\pm 20\%$ of initial capacitance
	Damm	tan δ	Less than or equal to 1.5 times of the value of item 4.4
4.9	Damp heat test	ESR	Less than or equal to 1.5 times of the value of item 4.5
	test	Leakage current	Less than or equal to the value of item 4.3
		Appearance	Notable changes shall not be found.

Issue Date : 2017-05-26	Name	Specification Sheet – ULG			
Version	01		Page	8	
STANDARD MANUAL					



4.10	Maximum permissible (ripple current)	At 100k Table 3 The con rated vo Frequen Freq	ximum pe Hz and ca nbined val	an be applied at lue of D.C volta shall not revers	maximum oper	naximum A.C cu rating temperatur c A.C voltage sha 10kHz f<100kHz 0.70	re see all not e: 100k f<50	xceed the tHz≪ 00kHz .00	
	D. 11	Cycle nu Test diag	mber: 5 cy ram: Fig.1	1	meet the follow	Roo $30 \pm 3 \min$ in or less	$5\pm 2^{\circ}$ m temper $5\pm 3^{\circ}$ n after 5		
4.11	Rapid change of temperature		ance chan		10% of initial	capacitance			
	1	1	an δ		Less than or equal to value of item 4.4				
		Leaka	ige curren	t Less than voltage tre	-	value of item 4.3	3 (after		
Issu	ue Date : 2017-05	-26 N	lame S	Specification	Sheet – ULG				
	Version		01			F	Page	9	
			STAN	NDARD MAI	NUAL				



		a) Lead pull strength					
			orce shall be appli			direction ar	d acting
			away from the boo	-			
		Lead	wire diameter (m	m)	Load force	(N)	
		0.5	$<$ d \leq 0.8		10		
4.12	Lead strength	b) Lead bending When the capacitor is placed in a vertical position and the weight speci table above is applied to one lead and then the capacitor is slowly rotate horizontal position and then returned to a vertical position thus complet for 2~3seconds. The additional bends are made in the opposite direction Lead wire diameter (mm) Load force (N) 0.5 < d ≤ 0.8 5 Performance: The characteristic shall meet the following value after a) Item Performance					90 ⁰ to a g bends
		Leakage curre	nt L	ess than or eq	ual to the value	of item4.3	
		Outward Appe	earance N	o cutting and	slack of lead ter	minals	
4.13	Resistance to vibration	Frequency: 10 to 55 Amplitude: 0.75mm Direction :X ₅ Y ₅ Duration: 2hours/ a: The capacitors are s	(Total excursion Z (3 axes) xial (Total 6 hours	1.5mm) s) ollowing Fig2	55 → 10Hz = ≤0.3mm		
		Performance: Capac capacitance when the	e value is measur	red within 30	minutes. Prior to	the compl	etion of
		exam, Capacitance exam.					lue the
Icon	e Date · 2017 (exam.					lue the
Issue	e Date : 2017-0	exam. 95-26 Name	Specification				
Issue	e Date : 2017-0 Version	exam. 05-26 Name 01		1 Sheet – UI		Page	10 10




4.14	Solderability	The capacitor shall be tested under the following conditions: Solder : Sn-3Ag-0.5Cu Soldering temperature: 245±3°C Immersing time : 3±0.5s Immersing depth : 1.5~ 2.0mm from the root. Flux : Approx .25% rosin (JIS K5902) Performance: At least 95% of the dipped portion of the terminal shall be cover new solder.	ered with
	Resistance	 A) Solder bath method Lead terminals of a capacitor are placed on the heat isolation board with thick 1.6±0.5mm. It will dip into the flux of isopropylaehol solution of colophony. Then it will be immersed at the surface of the solder with the following condition Solder : Sn-3Ag-0.5Cu Soldering temperature : 260 ±5°C Immersing time : 10±1s Heat protector: t=1.6mm glass –epoxy board B) Soldering iron method Bit temperature : 400 ±10°C Application time : 3+1/-0 s Heat protector: t=1.6mm glass –epoxy board For both methods, after the capacitor at thermal stability, the following items sha measured: 	n:
4.15	to soldering heat	ItemPerformanceCapacitance ChangeWithin $\pm 5\%$ of initial capacitancetan δ Less than or equal to the value of item 4.4ESRLess than or equal to the value of item 4.5Leakage currentLess than or equal to the value of item 4.3 (aft voltage treatment)AppearanceNotable changes shall not be found.	er

Issue Date : 2017-05-26	Name	Specification Sheet – ULG			
Version	01		Page	11	
STANDARD MANUAL					



5. Product Marking

Marking Sample:




Code Year	B 2012	C 2013	D 2014	G 2017		M	anufact	ured we	eek: see	Table	2
Table 2	2012	2010	2011	_017					see Tab		_
Week	1	2	3	4	5	6	7	8	9	10	11
Code	Α	В	С	D	Е	F	G	Н	Ι	J	K
Week	12	13	14	15	16	17	18	19	20	21	22
Code	L	М	Ν	0	Р	Q	R	S	Т	U	V
Week	23	24	25	26	27	28	29	30	31	32	33
Code	W	Х	Y	Z	<u>A</u>	B	<u>C</u>	D	E	F	G
Week	34	35	36	37	38	39	40	41	42	43	44
Code	H	Ī	<u>J</u>	<u>K</u>	L	M	<u>N</u>	<u>0</u>	<u>P</u>	Q	<u>R</u>
Week	45	46	47	48	49	50	51	52]		
Code	<u>S</u>	<u>T</u>	U	V	W	<u>X</u>	Y	<u>Z</u>			

Issue Date : 2017-05-26	Name	Specification Sheet – ULG		
Version	01		Page	12
	STA	ANDARD MANUAL		



F±0.5

6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm



φD	10
L	12.5
F	5.0
фd	0.6

Table 3

Working Voltage (V)	Capacitance (µF)	Dimension (D×L, mm)	Maximum permissible ripple current at 105°C 100kHz (mA rms)	ESR at 20°C100kHz to300kHz (mΩ)	Leakage current (µA) 2min
25	470	10X12.5	3100	35	2350

Issue Date : 2017-05-26	Name	Specification Sheet – ULG				
Version	01		Page	13		
STANDARD MANUAL						



7. Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

- 1) Time constant circuits
- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current
- 4) High impedance voltage retention circuits.
- 7-2. Voltage
 - 1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits. Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the peak Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit.

2) Applied voltage

① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.

(2) When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.

③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tunid off or the source is switched.

7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

1) The rush current exceeds 10A

2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor (1K Ω) must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e.wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

7-7 Capacitor insulation

1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.

2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

Issue Date : 2017-05-26	Name	Specification Sheet – ULG			
Version	01		Page	14	
STANDARD MANUAL					



7-8 Precautions for using capacitors

X-CON capacitors should not be used in the following environments.

1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.

2) Environments where capacitors are exposed to direct sunlight.

3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.

4) Environments where the capacitor is in contact with chemically active gases.

5) Acid or alkaline environments.

6) Environment subject to high-frequency induction.

7) Environment subject to excessive vibration and shock.

8.Long Term Storage

Store the X-CONs in sealed package bags after delivery per the table below;

X-CON Type	Before unsealing		
Radial load time neeked in bags	Must be used within 24~36 months after		
Radial lead type packed in bags	delivery(unsealed status)		
Radial load time neeked in taning method	Must be used within 24~36 months after		
Radial lead type packed in taping method	delivery(unsealed status)		

9. Mounting Precautions Mounting phase Things to note before mounting Disposal 1) Used X-CON capacitors Not reused 2) LC-increased X-CON capacitors Apply them with rated voltage in series with 1K Ω after long storage resistance for 1 hour at the range between 60 and 70° C 3) X-CON capacitors dropped to the Not reused floor Products without remarkable polar, capacitance and rated 4) Precautions on polar, capacitance Before mounting and rated voltage voltage shouldn't be available The products can be used only when said pitch is matched 5) Precautions on the pitch between lead terminal and PCB The products can be used for production only when lead 6) Precautions on the stress that lead terminal and body are not subject stress. terminal and body of X-CON capacitors enduring in mounting Both temperature and duration in mounting should meet 1) Soldering with a soldering iron the requirements of out-going SPEC; no stress should be allowed to occur in mounting; Don't let the tip of the soldering iron touch the X-CON itself. X-CON capacitor body should be prohibited to submerge Mounting 2) Flow soldering in melted solder; both temperature and duration in mounting should meet the requirements of out-going SPEC; The rosin is not allowed to adhere to any where other than lead terminal. Do not tilt, bend twists X-CON; Do not allow other matter 1) Precautions on mounting status touch X-CON. Used immersion or ultrasonic waves to clean for a total of 2) Washing the PCB (available cleaning agent 1) high quality less than 5 minutes and the temperature be less than 60° C; After mounting alcohol-based cleaning fluid such as The conductivity, PH, specific gravity and water cleaning, X-CON products should be dried with hot air (less than st-100s, 750L,750M;2) Detergents the maximum operating temperature). including substitute freon such as AK-225AES and IPA) Issue Date : 2017-05-26 Name Specification Sheet – ULG Version 01 Page 15 STANDARD MANUAL



10. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances				
Heavy metals	Cadmium and cadmium compounds				
	Lead and lead compounds				
	Mercury and mercury compounds				
	Hexavalent chromium compounds				
	Polychlorinated biphenyls (PCB)				
Chloinated	Polychlorinated naphthalenes (PCN)				
organic	Polychlorinated terphenyls (PCT)				
compounds	Short-chain chlorinated paraffins(SCCP)				
	Other chlorinated organic compounds				
D . (1	Polybrominated biphenyls (PBB)				
Brominated	Polybrominated diphenylethers(PBDE) (including				
organic	decabromodiphenyl ether[DecaBDE])				
compounds	Other brominated organic compounds				
Tributyltin comp	oounds(TBT)				
Triphenyltin con	npounds(TPT)				
Asbestos					
Specific azo con	pounds				
Formaldehyde					
Polyvinyl chlorid	de (PVC) and PVC blevds				
Beryllium oxide					
Beryllium copp	er				
Specific phthalat	tes (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)				
Hydrofluorocarb	oon (HFC), Perfluorocarbon (PFC)				
Perfluorooctane	sulfonates (PFOS)				
Specific Benzotr	iazole				

Issue Date : 2017-05-26	Name	Specification Sheet – ULG				
Version	01		Page	16		
STANDARD MANUAL						