

## **X-CON BRAND**

## **CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS**

# PRODUCT SPECIFICATION 規格書

**CUSTOMER :** 

(客戶): 志盛翔

DATE: (日期):2020-5-29

CATEGORY (品名) DESCRIPTION (型号)	<ul> <li>CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS</li> <li>ULR 25V470μF (φ6.3x14)</li> </ul>
VERSION (版本)	: 01
Customer P/N	: /
SUPPLIER	: /

SUPPLIER		CUS	TOMER
PREPARED (拟定)	CHECKED (审核)	APPROVAL (批准)	SIGNATURE (签名)
邓文文	付婷婷		



	(	SPECIFICAT			ALTERN	ATION HIS	TORY
	ULR SERIES					ECORDS	T
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver

	Name	Specification Sheet – ULR			
Version	01		Page	1	
STANDARD MANUAL					



C O N T E N T S	
	Sheet
Application	3
2. Part Number System	3
3. Construction	4
L. Characteristics	5~1
4.1 Rated voltage & Surge voltage	
<ul><li>4.2 Capacitance (Tolerance)</li><li>4.3 Leakage current</li></ul>	
<ul><li>4.3 Leakage current</li><li>4.4 Tangent of loss angle</li></ul>	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test	
4.8 Surge test	
4.9 Damp heat test	
4.10 Maximum permissible ripple current	
.11 Rapid change of temperature	
.12 Lead strength	
.13 Resistance to vibration	
.14 Solderability	
.15 Resistance to soldering heat	1.
6. Product Marking	
. Product Dimensions, Impedance & Maximum Perm	
. Application Guideline	14~1
-1 Circuit design	
-2 Voltage	
-3 Sudden charge and discharge restricted	
-4 Ripple current	
-5 Leakage current	
-6 Failure rate	
-7 Capacitor insulation	
-8 Precautions for using capacitors .Long Term Storage	
D. Mounting Precautions	15
8	
0. List of "Environment-related Substances to be Controlled (	Controlled Substances )

 Name
 Specification Sheet – ULR

 Version
 01


 STANDARD MANUAL



#### 1. Application

This specification applies to conductive polymer aluminum solid capacitors used in electronic equipment.

## 2. Part Number System



#### 2.1 <u>Capacitance code</u>

Code	477
Capacitance (µ F)	470

#### 2.2 Rated voltage code

Code	1E
Voltage (W.V.)	25

#### 2.3 <u>Type</u>

Code	RR
Туре	Bulk

2.4 <u>Capacitance tolerance</u> "M" stands for -20% ~ +20%

#### 2.5 <u>Diameter</u>

Code	Ε
Diameter	6.3

#### 2.6 <u>Case length</u>


14 = 14 mm

	Name	Specification Sheet – ULR		
Version	01		Page	3
	STA	ANDARD MANUAL		



## **3.**Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
1	Lead Line	Tinned Copper Line or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

	Name	Specification Sheet – ULR		
Version	01		Page	4
	STA	ANDARD MANUAL		



## 4. Characteristics

Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows:

Ambient temperature: 15°C to 35°C Relative humidity : 45% to75% Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions: Ambient temperature:  $20^{\circ}C \pm 2^{\circ}C$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

#### Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55°C to 105°C.

	Name	Specification Sheet – ULR				
Version	01		Page	5		
STANDARD MANUAL						



	ITEM		PERFORMANCE					
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC) SV (V.DC)	25 28					
4.2	Nominal capacitance (Tolerance)	Measuring Voltage Measuring Tempera <b><criteria></criteria></b>	cy : 120Hz±12Hz : Not more than 0.5Vrms ture : 20±2°C pecified capacitance tolerance.					
4.3	Leakage current	$\Omega \pm 10 \Omega$ ) so that te when measured after In case leakage curr	applied to capacitors through the series protective resistor (1k rminal voltage may reach the rated voltage .The leakage current 2 minutes shall not exceed the values of the following equation. The value exceed the value shown in Table 3, remeasure after at applies the rated voltage shown in 4.1 for 120minutes at 105 °C $^{\circ}$					
4.4	tanδ	<condition> See 4.2, for measuri <criteria> Working voltage ( tanδ (max.)</criteria></condition>	ng frequency, voltage and temperature. v) 25 0.10					
4.5	ESR	Measuring temperatu Measuring point <b><criteria></criteria></b>	<ul> <li>initial limit(See Table 3).</li> </ul>					

	Name	Specification Sheet – ULR				
Version	01		Page	6		
STANDARD MANUAL						



		STEP	Temperature(℃)	Item	Characteristics		
	1	20±2	Measure: Capacitance、 tanδ、 Impedance				
		2	-55+3	Z-55℃ / 20℃	≤1.25		
	Toursetour	3	Keep at 15 to 35°C for 15 minutes or more				
4.6	Temperature characteristic	4	$105 \pm 2$	$Z105^\circ\!\!\mathbb{C}\ /\ 20^\circ\!\!\mathbb{C}$	≤1.25		
	characteristic			Δ C/C 20°C	Within $\pm 5\%$ of step1		
		5	$20 \pm 2$	tanδ	Less than or equal to the value of item 4.4		
		The C	<b>dition&gt;</b> apacitor is stored at a tem e for 2000 +48/0 hours . '				
		Item		ormance			
				Within $\pm 20\%$ of initial capacitance			
		tanδ	Less	Less than or equal to 1.5 times of the value of item 4.4			
	Load	ESR		Less than or equal to 1.5 times of the value of item 4.5			
4.7 life	Leak	age current Less	Less than or equal to the value of item 4.3				
7./	ine		earance Nota	ble changes shall not			

	Name	Specification Sheet – ULR				
Version	01		Page	7		
STANDARD MANUAL						



			l be 15~35°C.
		Item	Performance
4.8	Surge test	Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tanδ	Less than or equal to 1.5 times of the value of item 4.4
		ESR	Less than or equal to 1.5 times of the value of item 4.5
		Leakage current	Less than or equal to the value of item 4.3
		<pre>Attention: This test sin hypothesizing that over v </pre>	nulates over voltage at abnormal situation, and not be oltage is always applied.
		-	exposed for 1000±48 hours in an atmosphere of 90~95% RH teristic change shall meet the following requirement.
		Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tanδ	Less than or equal to 1.5 times of the value of item $4.4$
4.9	Damp heat	ESR	Less than or equal to 1.5 times of the value of item 4.5
4.9	test	Leakage current	Less than or equal to the value of item 4.3
		Appearance	Notable changes shall not be found.

	Name	Specification Sheet – ULR				
Version	01		Page	8		
STANDARD MANUAL						



4.10	Maximum permissible (ripple current)	<condition>The maximum permissible ripple current is the maximum A.C current At 100kHz and can be applied at maximum operating temperature see Table 3The combined value of D.C voltage and the peak A.C voltage shall not exceed the rated voltage and shall not reverse voltage.Frequency Multipliers:<math>\boxed{Frequency \ f&lt;120Hz\leqslant \ 1kHz \ f&lt;10kHz\leqslant \ 100kHz \ f&lt;500kHz}</math> Coefficient 0.05 0.30 0.70 1.00</condition>
4.11	Rapid change of temperature	Applied voltage: without load Cycle number: 5 cycles Test diagram: Fig.1 Performance: The capacitors shall meet the following specification after 5 cycles. Item Performance Capacitance change Within $\pm 10\%$ of initial capacitance $\frac{1}{10\%}$ Less than or equal to value of item 4.4 Leakage current Less than or equal to the value of item 4.3 (after voltage treatment)

	Name	Specification Sheet – ULR				
Version	01		Page	9		
STANDARD MANUAL						



			ull strength					
						he terminal in the	axial direc	ction and
		acti		-	om the body			
			Lead v	vire diameter	: (mm)	Load force	(N)	
			$0.5 < d \leq 0.8$			10		
4.12 Lead strength		table horiz for 2 The	n the capaci above is ap contal positional additional b Lead wi 0.5 < ormance: Th	plied to one on and then r pends are made re diameter ( $d \leq 0.8$	lead and then returned to a v de in the oppo mm)	position and the wei the capacitor is slo vertical position thu osite direction Load force (N 5 the following value ce	wly rotated s completi	d 90 <sup>0</sup> to a ng bends
			kage curren	t		r equal to the value	of item4 3	
			ward Appea			and slack of lead te		
4.13	Resistance to vibration	Amplitud Direction Duration:	le: 0.75mm( :X Y X : 2hours/ axi	Total excurs Z (3 axes) ial (Total 6 h	ion 1.5mm)	→ 55 → 10Hz Fig2 $\downarrow$ $\leq 0.3$ mm		
	capaci exam,	capacitan	ice when the	tance value s value is mea	asured within	/ drastic change con 30 minutes. Prior t ±5% compared to tl	o the comp	oletion of
			Name	Specifica	tion Sheet –	ULR		
	Version		Name 01	Specifica	tion Sheet –	ULR	Page	10




4.14 Solderabi	The capacitor shall be tested under the following conditions: SolderSolder: Sn-3Ag-0.5CuSoldering temperature: 245±3°CImmersing time: 3±0.5sImmersing depth: 1.5~ 2.0mm from the root.Flux: Approx .25% rosin (JIS K5902) in ETHANOL (JIS K1501)Performance: With new solder.
4.15 Resistanto solderi heat	

	Name	Specification Sheet – ULR				
Version	01		Page	11		
STANDARD MANUAL						



## 5. Product Marking

Marking Sample:



					K	А					
Table 1					.	1					
Code	G	Н	J	Κ							
Year	2016	2017	2018	2020		— М	anufact	ured we	eek: see	Table	2
Table 2						– Manu	facture	d year:	see Tab	le 1	
Week	1	2	3	4	5	6	7	8	9	10	11
Code	Α	В	С	D	Е	F	G	Н	Ι	J	Κ
Week	12	13	14	15	16	17	18	19	20	21	22
Code	L	М	Ν	0	Р	Q	R	S	Т	U	V
Week	23	24	25	26	27	28	29	30	31	32	33
Code	W	Х	Y	Ζ	<u>A</u>	B	<u>C</u>	<u>D</u>	E	F	<u>G</u>
Week	34	35	36	37	38	39	40	41	42	43	44
Code	H	I	J	<u>K</u>	L	M	N	<u>0</u>	<u>P</u>	Q	<u>R</u>
Week	45	46	47	48	49	50	51	52			
Code	<u>S</u>	<u>T</u>	<u>U</u>	V	W	<u>X</u>	Y	<u>Z</u>			

	Name	Specification Sheet – ULR					
Version	01		Page	12			
STANDARD MANUAL							



#### 6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm $d \pm 0.05$ F±0.5 $L^{+1.5}$ 15 min 4 min -1.0 ΦD±0.5 6.3 φD 14 L F 2.5 0.6 φd Table 3 Leakage Maximum permissible Capacitanc Working ESR current Dimension ripple current at 105℃ at 20 100kHz Voltage e (µ A) $(D \times L, mm)$ 100kHz (V) (µ F) $(m\Omega)$ 2min (mA rms) 25 470 6.3x14 3800 20 2350

	Name	Specification Sheet – ULR				
Version	01		Page	13		
STANDARD MANUAL						



#### 7.Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

1) Time constant circuits

- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current

4) High impedance voltage retention circuits.

#### 7-2. Voltage

1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits. Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the

peak Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit. 2) Applied voltage

① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.

2 When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.

③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tunid off or the source is switched.

#### 7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

1) The rush current exceeds 10A

2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor  $(1K\Omega)$  must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

#### 7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

#### 7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

#### 7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e.wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

#### 7-7 Capacitor insulation

1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.

2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

	Name	Specification Sheet – ULR					
Version	01		Page	14			
STANDARD MANUAL							



#### 7-8 Precautions for using capacitors

- X-CON capacitors should not be used in the following environments.
- 1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.
- 2) Environments where capacitors are exposed to direct sunlight.
- 3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.

4) Environments where the capacitor is in contact with chemically active gases.

- 5) Acid or alkaline environments.
- 6) Environment subject to high-frequency induction.
- 7) Environment subject to excessive vibration and shock.

#### **8.Long Term Storage**

Store the X-CONs in sealed package bags after delivery per the table below;

X-CON Type	Before unsealing
Radial lead type packed in bags	Must be used within 24~36 months after delivery(unsealed status)
Radial lead type packed in taping method	Must be used within 24~36 months after delivery(unsealed status)

#### 9. Mounting Precautions

9. Mounting Preca		Diseased
Mounting phase	Things to note before mounting	Disposal
	1) Used X-CON capacitors	Not reused
	2) LC-increased X-CON capacitors	Apply them with rated voltage in series with $1K\Omega$
	after long storage	resistance for 1 hour at the range between 60 and $70^\circ C$
	3) X-CON capacitors dropped to the	Not reused
	floor	
Before mounting	4) Precautions on polar, capacitance	Products without remarkable polar, capacitance and rated
before mounting	and rated voltage	voltage shouldn't be available
	5) Precautions on the pitch between	The products can be used only when said pitch is matched
	lead terminal and PCB	
	6) Precautions on the stress that lead	The products can be used for production only when lead
	terminal and body of X-CON	terminal and body are not subject stress.
	capacitors enduring in mounting	
	1) Soldering with a soldering iron	Both temperature and duration in mounting should meet
		the requirements of out-going SPEC; no stress should be
		allowed to occur in mounting; Don't let the tip of the
		soldering iron touch the X-CON itself.
Mounting	2) Flow soldering	X-CON capacitor body should be prohibited to submerge
		in melted solder; both temperature and duration in
		mounting should meet the requirements of out-going
		SPEC; The rosin is not allowed to adhere to any where
		other than lead terminal.
	1) Precautions on mounting status	Do not tilt, bend twists X-CON; Do not allow other
		matter touch X-CON. Used immersion or ultrasonic waves to clean for a total of
	2) Washing the PCB (available	
After mounting	cleaning agent 1)high quality	less than 5 minutes and the temperature be less than $60^{\circ}$ C;
And mounting	alcohol-based cleaning fluid such as	The conductivity, PH, specific gravity and water
	st-100s, 750L,750M;2) Detergents	cleaning, X-CON products should be dried with hot air
	including substitute freon such as $AK_{225}AES$ and $IDA$	(less than the maximum operating temperature).
	AK-225AES and IPA)	

	Name	Specification Sheet – ULR					
Version	01		Page	15			
STANDARD MANUAL							



# 10. It refers to the latest document of "Environment-related Substances standard"(WI-HSPM-QA-072).

	Substances				
	Cadmium and cadmium compounds				
Heavy metals	Lead and lead compounds				
	Mercury and mercury compounds				
	Hexavalent chromium compounds				
	Polychlorinated biphenyls (PCB)				
Chloinated	Polychlorinated naphthalenes (PCN)				
organic	Polychlorinated terphenyls (PCT)				
compounds	Short-chain chlorinated paraffins(SCCP)				
	Other chlorinated organic compounds				
	Polybrominated biphenyls (PBB)				
Brominated .	Polybrominated diphenylethers(PBDE) (including				
organic	decabromodiphenyl ether[DecaBDE])				
compounds	Other brominated organic compounds				
Tributyltin comp	oounds(TBT)				
Triphenyltin con	npounds(TPT)				
Asbestos					
Specific azo con	npounds				
Formaldehyde					
Polyvinyl chlorid	de (PVC) and PVC blevds				
Beryllium oxide					
Beryllium copp	er				
Specific phthalat	tes (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)				
Hydrofluorocarb	oon (HFC), Perfluorocarbon (PFC)				
Perfluorooctane	sulfonates (PFOS)				
Specific Benzotr	iazole				

	Name	Specification Sheet – ULR					
Version	01		Page	16			
STANDARD MANUAL							