

## X-CON BRAND

## CONDUCTIVE POLYMER ALUMINUM SOLID CAPACITORS

## PRODUCT SPECIFICATION

## 規格書

**CUSTOMER:** DATE:

(客戶): 志盛翔 (日期):2019-10-10

CATEGORY (品名) : CONDUCTIVE POLYMER ALUMINUM

**SOLID CAPACITORS** 

DESCRIPTION (型号) : ULR 25V680μ F (φ8x16)

VERSION (版本) : 01

Customer P/N : /

SUPPLIER : /

SUPPLIER			
PREPARED (拟定)	CHECKED (审核)		
赵安平	刘渭清		

CUSTOMER		
APPROVAL	SIGNATURE	
(批准)	(签名)	



SPECIFICATION			ALTERNATION HISTORY				
ULR SERIES					ECORDS		
Rev.	Date	Mark	Page	Contents	Purpose	Drafter	Approver

Issue Date : 2019-10-10	Name	Specification Sheet – ULR		
Version	01		Page	1
STANDARD MANUAL				



### CONTENTS

CONTENTS	
	Sheet
1. Application	3
2. Part Number System	3
3. Construction	4
4. Characteristics	5~11
4.1 Rated voltage & Surge voltage	
4.2 Capacitance (Tolerance)	
4.3 Leakage current	
4.4 Tangent of loss angle	
4.5 ESR	
4.6 Temperature characteristic	
4.7 Load life test	
4.8 Surge test	
4.9 Damp heat test	
4.10 Maximum permissible ripple current	
4.11 Rapid change of temperature	
4.12 Lead strength 4.13 Resistance to vibration	
4.14 Solderability	
4.14 Solderability 4.15 Resistance to soldering heat	
5. Product Marking	12
<u> </u>	
6. Product Dimensions, Impedance & Maximum Permissible Ripple Cur	
7. Application Guideline	14~15
7-1 Circuit design	
7-2 Voltage	
7-3 Sudden charge and discharge restricted	
7-4 Ripple current 7-5 Leakage current	
7-5 Leakage Current 7-6 Failure rate	
7-7 Capacitor insulation	
7-8 Precautions for using capacitors	
8.Long Term Storage	
9. Mounting Precautions	15
10. List of "Environment-related Substances to be Controlled ('Controlled Substance	
10. List of Environment related buostances to be Controlled (Controlled Substance	,, 10


Issue Date : 2019-10-10	Name	Specification Sheet – ULR		
Version	01		Page	2
STANDARD MANUAL				



## 1. Application

This specification applies to conductive polymer aluminum solid capacitors used in electronic equipment.

### 2. Part Number System



### 2.1 <u>Capacitance code</u>

Code	687
Capacitance (µ F)	680

### 2.2 Rated voltage code

Code	1E
Voltage (W.V.)	25

#### 2.3 <u>Type</u>

Code	СВ
Type	Lead Cut

#### 2.4 Capacitance tolerance

"M" stands for  $-20\% \sim +20\%$ 

#### 2.5 <u>Diameter</u>

Code	F
Diameter	8

### 2.6 <u>Case length</u>


16=16mm

Issue Date : 2019-10-10	Name	Specification Sheet – ULR		
Version	01		Page	3
STANDARD MANUAL				



## 3. Construction

Single ended type to be produced to fix the terminals to anode and cathode foil, and wind together with paper, and then wound element to be formed and carbonized, impregnated with polymer and polymerized, then will be enclosed in an aluminum case. Finally sealed up tightly with end seal rubber.



No	Component	Material
1	Lead Line	Tinned Copper Line or CP Line(Pb Free)
2	Terminal	Aluminum
3	Sealing Material	Rubber
4	Al-Foil (+)	Aluminum
5	Al-Foil (-)	Aluminum
6	Case	Aluminum
7	Electrolyte paper	Manila Hemp

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	4			
	STANDARD MANUAL						



### 4. Characteristics

#### Standard atmospheric conditions

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows:

Ambient temperature: 15°C to 35°C Relative humidity : 45% to 75% Air Pressure : 86kPa to 106kPa

If there is any doubt about the results, measurement shall be made within the following conditions:

Ambient temperature:  $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ Relative humidity : 60% to 70%Air Pressure : 86kPa to 106kPa

#### Operating temperature range

The ambient temperature range at which the capacitor can be operated continuously at rated voltage is -55°C to 105°C.

Issue Date : 2019-10-10	Name	Specification Sheet – ULR				
Version	01		Page	5		
STANDARD MANUAL						



	ITEM	PERFORMANCE
4.1	Rated voltage (WV) Surge voltage (SV)	WV (V.DC)         25           SV (V.DC)         28
4.2	Nominal capacitance (Tolerance)	<b>Condition&gt;</b> Measuring Frequency : 120Hz±12Hz Measuring Voltage : Not more than 0.5Vrms Measuring Temperature : 20±2°C <b>Criteria&gt;</b> Shall be within the specified capacitance tolerance.
4.3	Leakage current	<b>Condition&gt;</b> After DC Voltage is applied to capacitors through the series protective resistor (1k $\Omega \pm 10\Omega$ ) so that terminal voltage may reach the rated voltage .The leakage current when measured after 2 minutes shall not exceed the values of the following equation. In case leakage current value exceed the value shown in Table 3, remeasure after voltage treatment that applies the rated voltage shown in 4.1 for 120minutes at 105 °C <b><criteria></criteria></b> See Table 3
4.4	tanδ	<condition> See 4.2, for measuring frequency, voltage and temperature. <criteria>  Working voltage (v) 25  tanδ (max.) 0.10</criteria></condition>
4.5	ESR	<b>Condition&gt;</b> Measuring frequency : 100kHz to 300kHz; Measuring temperature:20±2°C Measuring point : 2mm max from the surface of a sealing resin on the lead wire. <b>Criteria&gt;</b> (20°C)Less than the initial limit(See Table 3).

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	6			
	STANDARD MANUAL						



		STEP	Temperature( $^{\circ}$ C)	Item	Characteristics			
		1	20±2	Measure: Capacitance tanδ Impedance				
		2	-55+3	Z-55°C / 20°C	≤1.25			
	Temperature	3	Keep at 15 to 35 ℃ for 15 minutes or more					
4.6	characteristic	4 105±2		Z105°C / 20°C	≤1.25			
				Δ C/C 20°C	Within $\pm 5\%$ of step1			
		5	20±2	tanδ	Less than or equal to the value of item 4.4			
				_				
				thin $\pm 20\%$ of initial c	anacitanca			
	Load	Load	tanδ  Less than or equitem 4.4  Less than or equitem 4.5		Les	Less than or equal to 1.5 times of the value of		
				s than or equal to 1.5 m 4.5	times of the value of			
4.7	life	Leak		Less than or equal to the value of item 4.3				
	test	Appe	earance No	Notable changes shall not be found.				

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	7			
	STANDARD MANUAL						



			l be 15~35°C.
		Item	Performance
4.8	Surge	Capacitance Change	Within $\pm 20\%$ of initial capacitance
	test	tanδ	Less than or equal to 1.5 times of the value of item 4.4
		ESR	Less than or equal to 1.5 times of the value of item 4.5
		Leakage current	Less than or equal to the value of item 4.3
		Attention: This test sin hypothesizing that over v	mulates over voltage at abnormal situation, and not be oltage is always applied.
		_	exposed for 1000 ± 48 hours in an atmosphere of 90~95% RH teristic change shall meet the following requirement.  Performance
		Capacitance Change	Within $\pm 20\%$ of initial capacitance
		tanδ	Less than or equal to 1.5 times of the value of item 4.4
4.9	Damp heat	ESR	Less than or equal to 1.5 times of the value of item 4.5
4.7	test	Leakage current	Less than or equal to the value of item 4.3
		Appearance	Notable changes shall not be found.

Issue Date : 2019-10-10	Name	Specification Sheet – ULR				
Version	01		Page	8		
STANDARD MANUAL						



	, ,	-				
4.10	Maximum permissible (ripple current)	Condition> The maximum permit At 100kHz and can be Table 3 The combined value rated voltage and shared frequency Multiplies  Frequency  Coefficient	of D.C volta	maximum oper	rating temperatur	re see
4.11	Rapid change of temperature	Applied voltage: with Cycle number: 5 cycle Test diagram: Fig. 1  Performance: The cap  Item  Capacitance change  tanδ  Leakage current	es es eacitors shall Performan Within ± Less than	meet the followice 10% of initial or equal to value or equal to the	Room	

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	9			
	STANDARD MANUAL						



		a) Lead pull strength
		A static load force shall be applied to the terminal in the axial direction and
		acting in a direction away from the body for $10\pm1$ s.
		Lead wire diameter (mm)  Load force (N)
		0.5 < d ≤0.8
		0.5 (4 (0.0)
		b) Lead bending
		When the capacitor is placed in a vertical position and the weight specified in the
		table above is applied to one lead and then the capacitor is slowly rotated $90^{\circ}$ to a
4.12	Lead strength	horizontal position and then returned to a vertical position thus completing bends
4.12	Lead strength	for 2~3seconds.
		The additional bends are made in the opposite direction
		Lead wire diameter (mm) Load force (N)
		$0.5 < d \le 0.8$
		Performance: The characteristic shall meet the following value after a) or b) test.
		Item Performance
		Leakage current Less than or equal to the value of item4.3
		Outward Appearance No cutting and slack of lead terminals
		Frequency: 10 to 55 Hz (1minute interval / 10 → 55 → 10Hz
		Amplitude: 0.75mm(Total excursion 1.5mm)
		Direction: X, Y, Z (3 axes)
		Duration: 2hours/ axial (Total 6 hours)
		The capacitors are supported as the following Fig2
4.13	Resistance to	<b>▼</b> <0.3mm
7.13	vibration	
		Fig2
		-
		Performance: Capacitance value shall not show drastic change compared to the initial capacitance when the value is measured within 30 minutes. Prior to the completion of
		exam, Capacitance difference shall be within $\pm 5\%$ compared to the initial value the
		exam.
<u> </u>	1	

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	10			
	STANDARD MANUAL						




Issue Date : 2019-10-10	Name	Specification Sheet – ULR			
Version	01		Page	11	
STANDARD MANUAL					



## 5. Product Marking

Marking Sample:



J A

Table 1

T dore 1				
Code	F	G	Н	J
Year	2016	2017	2018	2019

– Manufactured week: see Table 2


Manufactured year: see Table 1


Table 2						- Manu	racture	a year:	see 1 ab	ne i	
Week	1	2	3	4	5	6	7	8	9	10	11
Code	A	В	C	D	Е	F	G	Н	I	J	K
Week	12	13	14	15	16	17	18	19	20	21	22
Code	L	M	N	О	P	Q	R	S	T	U	V
Week	23	24	25	26	27	28	29	30	31	32	33
Code	W	X	Y	Z	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>	<u>G</u>
Week	34	35	36	37	38	39	40	41	42	43	44
Code	<u>H</u>	<u>I</u>	<u>J</u>	<u>K</u>	<u>L</u>	<u>M</u>	<u>N</u>	<u>O</u>	<u>P</u>	Q	<u>R</u>
Week	45	46	47	48	49	50	51	52			
Code	<u>S</u>	<u>T</u>	<u>U</u>	<u>V</u>	W	<u>X</u>	<u>Y</u>	<u>Z</u>			

Issue Date : 2019-10-10	Name	Specification Sheet – ULR			
Version	01		Page	12	
STANDARD MANUAL					



## 6. Product Dimensions, Impedance & Maximum Permissible Ripple Current Unit: mm





φD	8
L	16
F	3.5
φd	0.6

Table 3


Working Voltage (V)	Capacitance (µ F)	Dimension (D×L, mm)	Maximum permissible ripple current at 105°C 100kHz (mA rms)	ESR at 20°C 100kHz (mΩ)	Leakage current (µ A) 2min
25	680	8x16	4700	16	3400

Issue Date : 2019-10-10	Name	Specification Sheet – ULR			
Version	01		Page	13	
STANDARD MANUAL					



Shape Code	φD	φ8
СВ	F	3.5
	Н	3.2
	d	0.6

CB Type



Issue Date : 2019-10-10	Name	Specification Sheet – ULR			
Version	01		Page	14	
STANDARD MANUAL					



#### 7. Application Guideline:

X-CON Solid Aluminum Electrolytic Capacitor should be used compliance with the following guidelines

#### 7-1Circuit design

Prohibited Circuits for use

Do not use the capacitors with the following circuits.

- 1) Time constant circuits
- 2) Coupling circuits
- 3) Circuits which are greatly affected by leakage current
- 4) High impedance voltage retention circuits.

#### 7-2. Voltage

#### 1) Over voltage

The application of over-voltage and reverse voltage below can cause increases in leakage current and short circuits.

Applied voltage, refers to the voltage value including the peak value of the transitional instantaneous voltage and the peak

Value of ripple voltage, not just steady line voltage. Design your circuit so that the peak voltage does not exceed the stipulated voltage.

Over voltage exceeding the rated voltage may not be applied even for an instant as it may cause a short circuit.

- 2) Applied voltage
- ① Sum of the DC voltage value and the ripple voltage peak values must not exceed the rated voltage.
- ② When DC voltage is low, negative ripple voltage peak value must not become a reverse voltage that exceeds 10% of The rated voltage.
- ③ Use the X-CON within 20% of the rated voltage for applications which may cause the reverse voltage during the Transient phenomena when the power is tumid off or the source is switched.

#### 7-3 Sudden charge and discharge restricted

Sudden charge and discharge may result in short circuit's large leakage current. Therefore, a protection circuits are recommended to design in when on of the following condition is expected.

- 1) The rush current exceeds 10A
- 2) The rush current exceeds 10 times of allowable ripple current of X-CON.

A protection resistor (1K $\Omega$ ) must be inserted to the circuit during the charge and discharge when measuring the leakage Current.

#### 7-4 Ripple current

Use the capacitors within the stipulated permitted ripple current. When excessive ripple current is applied to the capacitor, It causes increases in leakage current and short circuits due to self- heating. Even when using the capacitor under the Permissible ripple current, reverse voltage may occur if the DC bias voltage is low.

#### 7-5 Leakage current

There is a risk of leakage current characteristics increasing even if the following use environments are within the stipulated range However, even if leakage current increases once, it has the characteristic that leakage current becomes small in most cases after voltage is applied due to its self-correction mechanism.

#### 7-6 Failure rate

The main failure mode of X-CON is open mode primarily caused by electrostatic capacity drop at high temperature (i.e. wear out failure), besides random short circuit mode failures primarily caused by over voltage occurs as minor one. The time it takes to reach the failures mode can be extended by using the X-CON with reduced ambient temperature, ripple current and applied voltage.

#### 7-7 Capacitor insulation

- 1) Insulation in the marking sleeve is not guaranteed. Be aware that the space between the case and the negative electrode Terminal is not insulated and has some resistance.
- 2) Be sure to completely separate the case, negative lead terminal, and positive lead terminal and PCB patterns with each other.

Issue Date : 2019-10-10	Name	Specification Sheet – ULR			
Version	01		Page	15	
STANDARD MANUAL					



#### 7-8 Precautions for using capacitors

- X-CON capacitors should not be used in the following environments.
- 1) Environments where the capacitor is subject to direct contact with salt water or oil can directly fall on it.
- 2) Environments where capacitors are exposed to direct sunlight.
- 3) High temperature (Avoid locating heat generating components around the X-CON and on the underside of the PCB), or humid environments where condensation can form on the surface of the capacitor.
  - 4) Environments where the capacitor is in contact with chemically active gases.
  - 5) Acid or alkaline environments.
  - 6) Environment subject to high-frequency induction.
  - 7) Environment subject to excessive vibration and shock.

#### **8.Long Term Storage**

Store the X-CONs in sealed package bags after delivery per the table below;

X-CON Type	Before unsealing
Radial lead type packed in bags	Must be used within 24~36 months after delivery(unsealed status)
Radial lead type packed in taping method	Must be used within 24~36 months after delivery(unsealed status)

**9. Mounting Precautions** 

Mounting phase	Things to note before mounting	Disposal
Before mounting	1) Used X-CON capacitors	Not reused
	2) LC-increased X-CON capacitors	Apply them with rated voltage in series with 1KΩ
	after long storage	resistance for 1 hour at the range between 60 and 70°C
	3) X-CON capacitors dropped to the	Not reused
	floor	
	4) Precautions on polar, capacitance	Products without remarkable polar, capacitance and rated
	and rated voltage	voltage shouldn't be available
	5) Precautions on the pitch between	The products can be used only when said pitch is matched
	lead terminal and PCB	
	6) Precautions on the stress that lead	The products can be used for production only when lead
	terminal and body of X-CON	terminal and body are not subject stress.
	capacitors enduring in mounting	
	1) Soldering with a soldering iron	Both temperature and duration in mounting should meet the requirements of out-going SPEC; no stress should be
		allowed to occur in mounting; Don't let the tip of the
		soldering iron touch the X-CON itself.
Mounting	2) Flow soldering	X-CON capacitor body should be prohibited to submerge
		in melted solder; both temperature and duration in
		mounting should meet the requirements of out-going
		SPEC; The rosin is not allowed to adhere to any where
		other than lead terminal.
After mounting	1) Precautions on mounting status	Do not tilt, bend twists X-CON; Do not allow other
	2) W 1: 1 PCP ( 111	matter touch X-CON.
	2) Washing the PCB (available	Used immersion or ultrasonic waves to clean for a total of
	cleaning agent 1)high quality alcohol-based cleaning fluid such as	less than 5 minutes and the temperature be less than 60°C; The conductivity, PH, specific gravity and water
	st-100s  750L,750M;2) Detergents	cleaning, X-CON products should be dried with hot air
	including substitute freon such as	(less than the maximum operating temperature).
	AK-225AES and IPA)	(1000 diam die maximum operating temperature).
	1111 22311LD and 11 11)	

Issue Date : 2019-10-10	Name	Specification Sheet – ULR					
Version	01		Page	16			
STANDARD MANUAL							



# 10. It refers to the latest document of "Environment-related Substances standard" (WI-HSPM-QA-072).

	Substances			
	Cadmium and cadmium compounds			
Heavy metals	Lead and lead compounds			
	Mercury and mercury compounds			
	Hexavalent chromium compounds			
	Polychlorinated biphenyls (PCB)			
Chloinated	Polychlorinated naphthalenes (PCN)			
organic	Polychlorinated terphenyls (PCT)			
compounds	Short-chain chlorinated paraffins(SCCP)			
	Other chlorinated organic compounds			
	Polybrominated biphenyls (PBB)			
Brominated .	Polybrominated diphenylethers(PBDE) (including			
organic	decabromodiphenyl ether[DecaBDE])			
compounds	Other brominated organic compounds			
Tributyltin compo	ounds(TBT)			
Triphenyltin com	pounds(TPT)			
Asbestos				
Specific azo comp	pounds			
Formaldehyde				
Polyvinyl chlorid	e (PVC) and PVC blevds			
Beryllium oxide				
Beryllium coppe	er			
Specific phthalates (DEHP,DBP,BBP,DINP,DIDP,DNOP,DNHP)				
Hydrofluorocarbo	on (HFC), Perfluorocarbon (PFC)			
Perfluorooctane s	ulfonates (PFOS)			
Specific Benzotri	azole			

Issue Date : 2019-10-10	Name	Specification Sheet – ULR				
Version	01		Page	17		
STANDARD MANUAL						